# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## ★ SEP 24 1947

A DEPARTMENT OF ASSESSED THE

### WHOLESALE GROWERS OF CACTI AND SUCCULENTS

P			P	*
R	L	ALBERT AROZENA NURSERY	R	L
I	I	1518 EAST ROSECRANS AVENUE	I	I
C	S	COMPTON CALIFORNIA	C	S
E	T		E	T
SEPTEMB	ER - 1947		SEPTEMBER	- 1947

### SALES CONDITIONS

Prices include packing but not transportation costs. Quantities quoted are minimum at these prices. This list is complete as to the stock available at present and supersedes and cancels all previous lists. Cash should accompany all orders unless goods are shipped C.O.D. or unless credit has already been established. 2% discount will be allowed for cash with orders. All material is offered subject to the prior sale of stock on hand.

### ALL-IN-ONE ASSORTMENT

## CACTUS ASSORTMENT #1

An economical collection of sturdy plants that will hold up under almost any condition. A typical assortment would consist of Cleistocactus baumanii, Harrisia martinii, Echinopsis hybrid, Monvillea diffusa, Nyctocereus serpentinus, Opuntia cylindrica, Opuntia elata, Opuntia microdasys, Opuntia monacantha fruit, Opuntia schickendantzii.

## CACTUS ASSORTMENT #2

## COMBINATION ASSORTMENT

## ECHEVERIA ASSORTMENT

Echeverias are among the most colorful of all Succulents and have a great many fanciers. This collection contains at least ten varieties of well rooted plants from 2" to 3" in size.

## TO THE TOWN GLASSING THE

	4
1 : 0161	# 8 F O &

THE - PREMIUM

## 28 VS

## agrada modilaba

100 plants, uninbelsed, 50 varalities, the Talk sacertment continues to see the sociality and the seed of the seed

# THE THE STATE OF THE STATE OF

## CAUTUS ASSOCIATION OF

# TWINTERS SOTTAL EMOO

100 plants, 20 varioties, unlabeled ..... color al plants, sembining a subject of An assertional grants a wide range or color al plants of each tond of ten very cite of Costi and that the plants of free man all for plants or planting attractive dish gradues and nevelty contains attractive dish gradues and nevelty contains.

# BOH VERLE ASSORTION

ener you so the and the coldest the leggest of the following the action of the state of the stat

## HAWORTHIA ASSORTMENT

100 unlabeled plants 1" to 2"

Haworthias are most desirable and sell readily because of their striking appearance and their ability to stand up well under adverse conditions. This assortment is made up of a variety of types, including some of the rarer species.

# SUCCULENT ASSORTMENT

## GEMERAL PRICE LIST

## CACTI

NOTE: Reference numbers in parentheses refer to illustrations in "CACTI FOR THE AMATEUR."		& Number
ASTRO PHYTIM WAS A STRONG TO THE STRONG THE	(10)	(100)
ASTROPHYTUM myriostigma - 1" seedlings	00	\$7.50
Denitop's only Denitalia si irrour-man	A *20	81.50
usually live ribbed animalana (pr. /a)		
WAVILLE OF OUR ACTION PROSPERSOR WHILE THE		
CEREUS hybrid - 2" to 1."		
CEREUS hybrid - 3" to 4" seedlings	•50	4.00
CEREUS hybrid - 6" to 7" seedlings  CLREUS hybrid - 8" to 10" seedlings		
	•75	6.00
	•90	7.50
ECH INCCACTUS Conserved and grant of the character and appearance.		
ECHINOCACTUS grusonii - 1" seedlings "Golden Ball." Densely several with	•75	6.00
"Golden Ball." Densely covered with stiff,	•17	0.00
bright golden yellow spines. (Pl. 66)		
bright golden yellow spines. (Pl. 66)  ECHINOPSIS hybrid - 12" to 2" plants  Attractive, dark green, globular plants		
Attractive, dark green, globular plants.	•50	4.00
ESPOSTOA lanata - 12" to 2" soedlings		
Republication of the solutions	•90.	7.50
TOWARD OVER THE THE TAIL OF TH	•,,,,	1.50
down of the wares and the		
markista hybrid robusta - 3" seedlings		
Slonder curred plants of unusually dark maroon color:	•40	3.50
Especially meeting of unusually dark maroon color:		
Especially recommended for "Tails."		
HARRISIA martinii - 3" to 4" seedlings	140	7
ory good for calls in novelty nots.	<b>₽</b> ∠‡O	3.50
1 H'1 m. Pm. 240 1		
LLMAIREOCEREUS pruinosus - 12" to 2" seedlings		
Four-sided with pronounced angles. Becomes	•50	4.00
frosted white in a limit angles. Becomes	_	
frosted white in color whon grown under glass.  MAMMILLARIA compressa - 1" to 12" seedlings  Stiff, flattened white crimes		
without putter compressa - 1" to la" spedlings	75	1
Stiff, flattened, white spines.	•75	6.00
manual Linkin nigra - 1" to 15"		
Olivo green plant body, dark spines	•75	6.00
On prominent tubowalas		
MAMMILLARIA pringlei - 1" seedlings		
Moses be ring to 1   Seedlings	-60	E 00
Very popular neat plant with recurved golden spines.	•00	5.00
G ~ ~ ~ Panob		

	100 unlabeled plants J" to 2" server	
-140zav -1'0	wer from in whathing a to on opin of them	

they see

			* ***				
		-· -	277 123		v 1		
	- 100	yn John India	ge to fire co	Annual State of the Annual	The second secon		Controlled In
( 67L) ( 67L)	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	***		Board Landing	doll ov	H WILMIN	ETSHE D
14.00 5.00 14.50	67. 87.	# 0 1 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	A COMPANIAN AND AND AND AND AND AND AND AND AND A	sections and section as a section of the contract of the contr	A TOWN	of the second with the second	PARTED PUTRED T
0000	774		1919r 402 (88 15	burryon vius	Lov ool	tes mobiles. Stes qualue	SOUTHOU
cosi	00.		A . II - District		· · · · · · · · · · · · · · · · · · ·	- TJ- WILL	101700700
7.66	.9Q.	estri du Lac	A - Filt - Pand	chus Grusosia	mortified	Arbite m	TRIBLES E
3,50	.11-0	L COLT.	10 42	11 7 " col but	A Hear coo.	1. What had the	HARRISEL
3,50	Oils			first col but confices to a glove of			
00,4	O(2.a		north talam	in to 2" con our con our con grown to lan scouli	500 113 0	ting polas	Till TIS LIK
00,0	.070	6			y	State of the State	The state of the s
. 00.0	500		W.		Town of Mar.	ATTICES AND AND	RIMINALIM
00°G	08.		vod golden s	moor water wound	I de de com	ALTREON A	to V

<b>~3</b> ~			
		Prices &	Number
			lants
		(10)	(100)
MONVILLEA diffusa - 3" to 4" seedlings		\$ .40	\$7.730
One of the best plants for "Tails" in novelty	•••••	# 140	# 1. 2. 3. O
onimal note. Dayle means with a state of			
animal pots. Dark green with soft light spines.	•	1.	7 70
OPUNTIA cylindrica - 3" to 4" rooted cuttings	*******	•40	3.50
Bright green, almost smooth, short widely spaced	spines.		
OPUNTIA elata - 2½" to 3" rooted cuttings		•50	4.00
Shiny, dark green, spineless.			
OPUNTIA microdasys - 21" to 31" plants		•50	4.00
OPUNTIA microdasys - 4" to 5" plants		.60	5.00
Small, flat stems dotted with yellow clusters	•••••	•00	7.00
of small spinelets. Very popular. (Pl. 17)			
OPINITA mi anada ma a maista animal anada da 211 . 711		10	<b>=</b> 00
OPUNTIA microda ws - white spined variety - 2" to 3" r.	C	<b>.</b> 60	5.00
(Angora Bunny Ears.) A tiny variety distinct			
because of the clusters of pure white spines			
that are soft and harmless.			
OPUNTIA mona cantha - $2\frac{1}{2}$ " to $3\frac{1}{2}$ " rooted cuttings		<b>.</b> 40	3.50
Spineless, bright green, thin stems.		•	
OPUNTIA mona cantha variegata - 3" to 5" rooted cuttings		•75	
Light yellow and green mottled; new growth often	ກາເຄ	• ()	
OPUNTIA schickendantzii - 21 to 3" rooted cuttings	brinc.	1.0	7 50
OPINITA soliciondontesis Lil to Ell control out tings	• • • • • • •	.40	3.50
OPUNTIA schickendantzii - 4" to 5" branched rooted cutt	ings	.60	5.00
Narrow tapering joints, light yellow-green short	spines.		
OPUNTIA schickendantzii - eared fruit		<b>.</b> 40	3.50
Two or more "oars."			
OPUNTIA vilis - 21 to 31 branchod plants		•50	4.00
Cylindrical trunk, branches like a small tree.		• > -	400
OPUNTIA vulgaris - 21 to 31 rooted cuttings		-40	3.50
Small, flat dark green, very few spines.	••••••	•40	2.50
billion and the Broom, voty 100 Spritos.			
OUTO CITE DEPEND			
SUCCULENTS			
Mant. D. A.			
NOTE: Reference numbers in parentheses refer to illust:	rations	Pricos &	Numbor
in "SUCCULENTS FOR THE AMATEUR."		Of P	lants
		(10)	(100)
AFRICAN LIVING ROCK - See Pleiospilos nelii		\$ 20 /	(400)
AGAVE attenuata - 4" to 5" plants		.40	× 50
Soft green resettes.	• • • • • •	•40	3.50
ALOE aristata - 22" plants, shipped in small pots			
Town thin lower of deals were pors	• • • • • • •	1.20	10.00
Very thin leaves of dark green, generously			
sprinkled with white dots, tapering to a			
compact resette of delicate beauty. (Fig. 239)			
ALOE humvir - $2\frac{1}{2}$ rooted cuttings		•50	4.00
Erect growth in resette form. Leaves			4.00
about 4 across and almost round. Light			
green color. This plant is distinct be-			
cause of the wiry, hard texture.			
ALOE nobilis - 21 rooted cuttings		•50	4.00
Green leaves edged with yellow. Very popular.			
ALOE striata - $2\frac{1}{2}$ to $3\frac{1}{2}$ seedlings		•50	4.00
Handsome plant. Leaves grayish bordered with red	3	• )0	-+=00
completely spineless. (Fig. 238)	••		
17 79 F)0/			

MINC X	

49)	in you fer to	
\$353c	n.i	valuation of the best plants for "Mails" in severity  One of the best plants for Wills" in severity  Onting I select plants green with apit light spire.
0-, "	W.	The second of th
Sept.	- A	OFWELL Misconses Salama control of the Control of t
Oball		OFUNIL miorodosys - 2g' to 3g' linto
10.8	24.	OFURTA microfique with wellow clusters  of smil spineTete. Very copular. (Pl. 17)  ofurta microfique white spined withow 2" to 2" re-
GO et	18,	broades of the clusters of pure waste spine
00.5	mie	OPUNTIA memaganghat 2 2/ mio 5 rooped cubusage
2 00 28	₹**	This a said demonth more than a series of the said of the
07.47	150	
01.42	ed.	OFWITA sent alcording fulnes, light, wollow-group worth
30.5	0.2.	Two or more " organ to owl
		OPERITA FILLS - G. T. D. Spring budgets de company Allering
2, 4	DE.	as a man a sold conduction of and the friends
3,50	Oil.	Order of the day rooted and and an analytic order or and the control of the contr
	×	According to the control of the cont
	•	SUCCULONOS
Manhor	w 200179	MOTE: Reference Authors in perenthwater refer to lituater times
(001)	(10)	APRICAL LIVING FOOK - Soo Plotospilos melia
3.50	Olim	ACOVE a translate 1 to 5" three
30,00	000	ALCE writerate - 20 plants, ship of in whill parts
`		springled with white deter tapering to a compact decay to a compact to a compact (PIS. 239)
ODeil	0₹.	ALOE Namels - 22° rooted outlings Latron 239)  Liet growth in rosetto forms Latron (about " taget
		-90 Johisand of the state of th
2,000	€.	Orton Tours agent tours
ocal.	50	· assessessessessessessessessessessessesse
		completed applications. (Fig. 239)

		Prices	& Number
		Of	Plants
		(10)	(100)
CH	HEIRIDOPSIS candidissima - 2" seedlings	\$ .35	\$3.00
	"Elephant Tusks." Beautiful species, small clumps		
	of silvery gray loaves tipped with purple. (Fig. 86)		
CC	DBWEB - See Sempervivum arachnoideum		
CI	RASSULA albiflora - 2" rooted cuttings	•35	3.00
	Dark green, oblong leaves deeply edged with intense	• 22	7.00
	dark red. One of the most colorful of all Succulents.		
CF	ASSULA arboroscens - 3" plants	7 5	7 00
	Round, thick, shiny green leaves edged	•35	3.00
	with red. (Fig. 151)		
CF	ASSULA pseudolycopodicides - 3" to 4" branched plants	7.5	
-	Round, hard stems of dark clive green.	•35	3.00
GE	ASSILA totrogone - Z" to !! beautiful al		_
41	ASSULA totragona - 3" to 4" branched plants	•35	3.00
	Grows into symmetrical, miniature branched tree with		
אמ	conical green leaves in four cornered arrangement.		
DI	CKIA sulphuren - 21 to 3" scoolings	•60	5.00
	Stiff bright green leaves striped longthwise with		
120	lighter green, recurved in star-like arrangements.		
نائد	HEVERIA bradburyam - 21 rooted cuttings	•50	4.00
	Rosette type with long tapered leaves		
77.74	of silvery gray, flecked with margen.		
EC	HEVERIA elegans - 22 rooted cuttings	•50	4.00
	very attractive, compact, silvery white resette, (Fig. 150)		
EÇ	HEVERIA multicaulis - 2" to 22" rooted outtings	•50	4.00
	Loaves almost round, reddish metallic. (Fig. 162)		.,.
EC	HEVERIA perbella hybrid - 25" to 3" rected cuttings	.40	3.50
	Grows exceptionally well. Very firm light green leaves.		2.00
EC.	HEVERIA simulans (Syn. Gilva) - 22" to 32" rooted cuttings	•50	4.00
	Light yellow-green, thick leaves tipped with red.	• ) •	4.00
EL	EPHANT TUSKS - See Cheiridopsis candidissima		
EL	KHORN - See Heroroa dyeri		
EU.	PHORBIA hermontiana - 6" to 7" plants	•75	6.00
EU.	PHORBIA hermontiana - 8" to 12" plants	•90	
	Three-angled, columnar plants with marbled surface and	•70	7.50
	ornamented with small rows of leaves on the angles.		
EU)	PHORBIA pfersdorfii - 2" well branched plants	00	5 50
	Small round bright green branches, clusters freely	•90	7.50
	making the plant resemble a small compact tree.		
FAU	JCARIA tigrina - 2" seedlings	7 ~	7 00
	"Tigor's Jaw." Leaves marbled gray-green	•35	3.00
	with white teeth.		
FAU	ICARIA tuberculosa - 2" seedlings	7-	
	Wide brown leaves thickly covered with large	•35	3.00
	tubercles, white dot in center, white teeth on		
	the ridgos. (Fig. 93)		
GAS	TROLLA beguinii - 2" to $2\frac{1}{2}$ " plants		
arro	Many white date on both sides as a last	•60	5.00
	Many white dots on both sides of dark groen tapered		
HAM	leaves which form an attractive resette.		
TTTAAA	ORTHIA fasciata - 2" plants	•90	7.50
	Probably the most striking of all Haworthias.		-
	Thin, tapering, dark groen leaves with a series of		
	heavy raised bands of white across the back of each leaf.		

detail de	Rricos	
Plants	1(3)	
(001)	(at)	CHAIRLEOFRIS candidisalto . 2" scedifica
00.58	1	
		COENTS - See Seen Seen and the display with purple (Fig. 8
AA N		amendada for formation to the contract of the
3.00		
		OELSSUL From One of the most coloriul of the Succession
00.6		OE. Saut
		DOG TO THE TOTAL OF THE PARTY O
		The MX - nabinibaronyl about all the sales
4	75.	daysent then hard stome of dark olive ground
		Orowa into symmetrical, ministure branched area with
		DYOKIL Sulthung and Longuage four cornered nerong ment.
5000	03,	Stiff bright groun leves shriped lengthwise with
		Lighter group, received in dier-like arrangement.
00-14	0E=	a cost borner of the right borner a least serve
0.0044	DZ .	LOHAVARIA elegans - 2 routed out tings essess Vary
1,11,24,14	1775. 18	DOHEVERIA muiticionista - 20 to 2 " travita rosofto. (143. 159)
lade	50	The state of the s
		LOI St
2.00	Calle .	LOSICVERTA perbolia hybrida - 25" to 30 co such analysis income.  Grown - P. Aparida - 25" to such analysis income.  BOHAN -PIA simulance (Sept. 68 ton) - 25"
		ECHA PIA SIMULADE (Sent Miller) - Sent Miller District
.00.44	05	LEEFELANT THERE - Dear thick loaves cioped with red.
		The state of the s
	25	LUPHONEIA hormonetare - 6" to 7" plants
00.0	CTw.	LUFEDERDE Dormon of the state o
7.450	06*	bar or chara bolder mile sages plante of belgio-over
		bas of clara and a mornel to awor limb ariw beforeare
03.43	00.	
0534		A COURT TANDERS OF THE PARTY OF
		and to nome at the contract of the contract Alsonia
00,5	28.	PAUCATA DIGITAL - El docido de la compania del la compania de la compania del la compania de la compania del la compania de la compania de la compania del la compania
		41.00
		partifican "E - mollion and all allows
00.5	650	Wide brown leaves thickly covered with large
		and the state of t
		the ridges, (Fig. 93)
	43.	there also of as a stringer and the
00.7	08.	leaves which form on adda of dere green tapered
		Leaves which formers abbreckly reaches to the property of the
1000 Pr	00.	ATTENDED TO THE PERSON OF THE
7 +50	27.5	Franchist the statement of the formatter
		To solites the manual of a state and the land bester wood

		& Number
	(10)	(100)
HERERO' dyeri - 2" seedlings	\$ •35	\$3.00
"Elkhorn." Small plant with curious club-like leaves	₩ •55	99.00
forming a cluster. I similar in appearance to the		
antlers of an Elk.		
KLEINIA repens - 2½" plants	•35	3.00
Beautiful, blue, cylindrical, oblong leaves.	•22	7.00
(Fig. 35)		
PIEIOSPILOS bolusii - 12" to 2" plants	<b>.</b> 60	5.00
Imitatos pieces of granite; always	•00	7.00
excites curiosity. (Fig. 25)		
PILIOSPILOS nelii - 12" plants	•60	5.00
"African Living Rock." Leaves nearly	•00	<b>)•</b> 00
round, roddish brown in color.		
PLEIOSPILOS simulans - 12" to 2" plants	.60	5.00
Similar to P. bolusii, but the thick leaves	•	,,,,,
are flat on the top, triangular below.		
SEDUM guatemalense - rooted cuttings	•30	2.50
Stems densely covered with berry-like leaves,		
shiny green tinged red. (Fig. 195-1)		
SEDUM pachyphyllum - rooted cuttings	•30	2.50
Similar to S. guatemalense but loaves are		
cylindrical light gray tipped pink to red.		
(Fig. 195)		
SEDUM trealeasei - 21 plants	•30	2.50
A very attractive, chalky white plant,		
forming small rosettes. (Fig. 195)		
SEMPERVIVUM arachnoidoum - 1" to 12" with many small offsets	.60	5.00
"Cobwob." Small compact resettes	,	
with the crown thickly covered with webs		
of fine wool.	~-	
STOMATIUM fulleri - 12" to 2" seedlings	•35	3.00
Round pebble-like, pule groon loaves in close rosette. Something different.		
TIGHR'S JAW - See Faucaria tigrina.		
Transfer of the poor transfer of Pt Tites		

4	Succulents For The Amteur - Brown \$2.50 cloth	1
4		1
4	Those two handbooks are the most popular amateur books ever published	1
4	on Cacti and the other Succulents. Now running into several reprint-	
4	ings. Both are profusely illustrated with photographic reproductions	1
<b></b>	also color plates, showing a large number of the plants which we list.	1
	These illustrations will assist you in selecting stock and in interest-	1
7	ing your customers. Copies for resale can be obtained at liberal	T
*	dealers' discounts from the publisher,	1
4	ABBEY PRESS - BOX 101 - PASADEMA - CALTEGRATA	1
	ABBEY PRESS - BOX 101 - PASADEMA - CALIFORNIA	_

Return Postage Guaranteed By:

ALBERT AROZENA NURSERY 1518 EAST ROSECRANS AVENUE COMPTON CALIFORNIA

Wholesale Growers of CACTI and SUCCULENTS

SEPTEMBER - 1947

Price List Colpany to a surge course opposite and the succession aler places phousing a lurge masher of the places within we line. dress, and re profusely illustrated with photographic repreductions

TOI - BURTHERY - CUTTLORAIN

SALIF MI COMPTON.

and the chart ducoulents, how running into several reprints Thou the indica are the tone popular amboughteness crep published

gaconfoure you gie to cook of group assessment MS\* 20 BIT W

G.CII R.R.T. AMAILTE - Brackbon serverserverserver, 2.50 cloth LIBRARY

U. S. DEPARTMENT OF AGRICULTURE. WASHINGTON 25, D. C.

TIGHTS THE - NO IN COUNTY TENTHS in class receives Bomething differents. hound pabale-like, puls groun leaven STULLTIES Tubler! - In to 2" nuchlings seemes excesses and of Alma whole

with the erous thicking or mod with mobs TO SECTION OF THE PROPERTY OF

(Fig. 195)

cylindrical light gray tapped plut to red. Stating to de Cuabomatendo but longen and SEDING E out tayling - to and analysis garagestates ..... 5 30

supply facen binged rods (Pics 195-1) Mons densely were distributed to work 5'-0

The area on an copy strangelor below. condlight to P. beliefing but the thick leaves

FL. 108FILOS efemiene - 14" to 2" plants ................... 200 1000 rounds roddich brown in colors

Partieun Living Rocks," Lonvon Biarly 5,00

excress on jutich (eff. 52) initia son please of granter, always FIRIOSPILOS bolnell . Ig to 20 plubs pro- ............. 5,00

(RIE 3H) Secusiful, bling qviladrical, ableog loaven, RITINITY ROBBID - DE PROMES AND PROPERTY OF THE PROPERTY OF TH 3.00

INCIONA OF BAR DAKE forming a chaster. Similar in apportance to the

"plice rate Smill plant with current clabeling leaves REMINE GARLY - S. Bondlings seemes ...............